

			Technical Sheet Tray 1150 ml – Rectangular- SuperCube		
Volume			1		
Volume under Lid	1150 ml +/- 10 ml		Sealable Volume	1250ml +/- 10 ml	
Dimensions				1	
Shape	Rectangular		Length	170 mm ± 1 mm	
•					
Height	91mm ± 1 mm		Width	116 mm ± 1 mm	
Weight	1				
Body	38g ± 2 g				
Flat Lid	12.5 g ± 1 g				
Closure System			1		
Standard	Closing by Lid		Closure Type	SuperCube	
Protective Collar	Yes		Tamper Evidence	Yes	
Handle			1		
Standard	NA		Option	NA	
Decoration	1		Т		
Body	IML/NEUTRAL		Lid	IML/NEUTRAL	
Raw Material					
Raw Material used	Polypropylene (granu	ıles)			
Dye	White as Standard, others on demand				
Alimentary	Materials and dyes suitable for contact with foodstuffs			ê T	
Thermal Properties					
Hot Temperatures	The material use is characterized by very good heat resistance. Our packaging is therefore suitable for hot filling. Once subjected to high temperatures, they become more flexible, and their immediate storage must be done with the necessary care. After cooling, they regain their usual strength. The customer who uses Galion packaging at high temperatures is deemed to have already tested and validated this				
Cold Temperatures	packaging in advance with the intended application. The standard resins used are suitable for freezing our packaging at negative temperatures. Very low temperatures require the use of special resin available on request. The customer who uses Galion packaging at low temperatures is deemed to have already tested and validated this packaging in advance with the intended application.				
Packaging and Delive	ery				
		B	ody	Lid	
	Unit	CARDBOARD		CARDBOARD	
Conditioning	Dimensions (HxWxL)	380X395X605		380X395X605	
	Capacity (in pieces)	150		900	
	Unit	CARDBOARD		CARBOARD	
Delivery	Dimensions (HxWxL)	380X395X605		380X395X605	
General Specification	Capacity (in pieces)	150		900	
Stacking		esponsibility to c	arry out internal stacking tes	sts in advance to ensure that transport condition	ns are
Uses	The packaging described in this technical data sheet is manufactured in accordance with the requirements of the national regulations applicable to plastic materials and articles intended to come into contact with foodstuffs. The customer cannot deny that he or she was aware of the data mentioned in this technical data sheet and that he or she had checked the content suitability before using the packaging.				
Lifetime	Compliance of the packaging with the specifications given in this technical data sheet is guaranteed for 12 months from the date of delivery; and this subject to preserving the packaging during the stackage and storage.				
Quality Standards	Degradation of the technical characteristics not exceeding 0,1% (1item out of 1000) during the warranty period cannot in any case be interpreted as a defect.				